



PRODUCT BROCHURE

SPL VETCARE DIVISION

splvetcaredivision.com

OPTIMIZING HEALTH
MAXIMIZING PRODUCTIVITY

supplements | probiotics | allopathic



Actipet

Tablets for active dogs

palatable tablets

PRIMARY FUNCTION

Muscle development
Helps in overall growth of dog
Provides healthy coat and shine

COMPOSITION

B-Complex Vitamins, Protein, Zinc & Selenium, Biotin,
Chromium, Para Amino Benzoic Acid

INDICATIONS


- > Weakness in dogs
- > Hair fall in dogs
- > Heart conditions in dogs
- > Nervousness in dogs
- > Loss of energy in dogs
- > Decrease in breeding potential

DOSAGE & ADMINISTRATION

1-5 kgs : 1/2 to 1 tablet per day
6-15 kgs : 1 to 2 tablets per day
16-30 kgs : 3 tablets per day
Above 30 kgs : 4 tablets per day

PRESENTATION

200 tablets



PET CARE PRODUCT/SUPPLEMENT
NOT FOR HUMAN USE

SPL
VETCARE DIVISION

animal welfare

supplement



Actical

Calcium supplement for pets

PRESENTATION
200ml

splvetcaredivision.com

Actical

Calcium supplement for pets

suspension

PRIMARY FUNCTION

Bone health and density
Helps in overall growth of pet
Improves activity

COMPOSITION

Each 5ml contains: Calcium 82.5mg, Phosphorous 42.5mg, Vitamin D3 400I.U., Vitamin B12 5mcg, Magnesium 5mg, Manganese 0.35mg. Flavoring agents added for taste.

INDICATIONS

- > Weakness in pets
- > Decrease in bone density
- > Decrease in growth rate
- > Laziness observed in pets
- > Loss of energy in pets
- > Deficiency of minerals

DOSAGE & ADMINISTRATION

Dogs : 10-20 ml twice daily
Pups & cats : 5 ml twice daily

PRESENTATION

200ml

PET CARE PRODUCT/SUPPLEMENT
NOT FOR HUMAN USE



Biostrain

Non-Medicinal Multistrain Probiotic

water soluble powder

PRIMARY FUNCTION

- To restore micro-flora after antibiotic treatment
- To reduce stress
- To improve immunity

COMPOSITION

Each 1g contains 2×10^9 CFU

Lactobacillus plantarum, Lactobacillus delbrueckii subsp bulgaricus, Lactobacillus acidophilus, Lactobacillus rhamnosus, Streptococcus salivarius subsp thermophilus, Enterococcus faecium, Bifidobacterium bifidum

INDICATIONS

- > Indigestion
- > Improper absorption through gut
- > Excessive ammonia production in litter
- > Sudden weight loss and mortality.

DOSAGE & ADMINISTRATION

Chicks : 1g per litre of water for first 5-7 days of life

Adult birds : 1g in 4 litres of water for 5 days


Cattle : 0.25g per animal per day

Goats/Sheeps : 0.2g per animal per day

PRESENTATION

100g, 500g, 1kg.

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Also effective for



Calcimore Gold

Liquid calcium with vitamins and minerals

feed supplement liquid

PRIMARY FUNCTION

Improves general health of cattle
Increases appetite
Increases milk yield and fat percentage

COMPOSITION

Each bolus contains:

Dicalcium phosphate, Vitamin A, Vitamin H, Vitamin D3, L-Lysine
Added flavours, colors and preservatives

INDICATIONS

- > Decrease in motility of cattle
- > Decrease in milk yield and fat percentage
- > Decrease in rate of conception
- > Decrease in size of udder
- > Problems during milking

DOSAGE & ADMINISTRATION

Cattle : 100ml once daily with food
Goat/Sheep : 50ml once daily with food
Poultry (Chicks) : 20ml per 100 birds daily

PRESENTATION

1ltr, 2ltr, 5ltr, 10ltr & 50ltr

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Safe for daily use



Electro Plus

Water soluble electrolyte with Vitamin C

water soluble powder

PRIMARY FUNCTION

Maintain normal body fluid balance
Helps recover from stress
Great source of vitamin c

COMPOSITION

Each 100g contains

Sodium chloride 800mg, Potassium chloride 3000mg, Sodium citrate 2600mg,
Calcium lactate 1700mg, Magnesium sulphate 1000mg, Vitamin C 500mg,
Dextrose monohydrate QS

INDICATIONS

- > Stress conditions (from heat, transportation, vaccination)
- > Diarrhoea and dehydration
- > Vitamin C deficiency
- > Loss of fluids in body

DOSAGE & ADMINISTRATION

Cattle : 100g twice a day for 3 days
Goats/Sheeps : 100g once a day for 3 days
Chicks : 100g/100 chicks
Adult birds : 1g/litre water for 3-5 days



PRESENTATION

100g, 500g, 1kg.

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Also effective for



Glencal Gold

Liquid calcium with vitamins and minerals

feed supplement liquid

PRIMARY FUNCTION

Improves general health of cattle
Increases appetite
Increases milk yield and fat percentage

COMPOSITION

Each bolus contains:

Dicalcium phosphate, Vitamin A, Vitamin H, Vitamin D3, L-Lysine
Added flavours, colors and preservatives

INDICATIONS

- > Decrease in motility of cattle
- > Decrease in milk yield and fat percentage
- > Decrease in rate of conception
- > Decrease in size of udder
- > Problems during milking

DOSAGE & ADMINISTRATION

Cattle : 100ml once daily with food
Goat/Sheep : 50ml once daily with food
Poultry (Chicks) : 20ml per 100 birds daily

PRESENTATION

1ltr, 2ltr, 5ltr, 10ltr & 50ltr

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Safe for daily use



Growmin CFC

Cattle feed concentrate

palatable powder

PRIMARY FUNCTION

Increases milk yield
Increases fat percentage
Skeletal growth in cattle and horses.

COMPOSITION

Values per 1000 gm of powder

Omega 9 (20 mg), Omega 6 (4.5 mg), Omega 3 (0.75 mg), Vitamin A (500000 IU), Vitamin D (50000 IU), Vitamin B9 (450 mg), Vitamin B3 (360 mg), Vitamin C (250 mg), Vitamin B1 (180 mg), Vitamin B2 (180 mg), Vitamin E (125 mg), Vitamin B6 (90 mg), Vitamin B12 (90 mg), Vitamin B5 (50 mg), Calcium (120 gm), Phosphorus (90 gm), Choline (75 gm), Sodium (3 gm), Chloride (2.5 gm), Potassium (1.5 gm), Magnesium (1.5 gm), Manganese (1 gm), Iron (600 mg), Copper (325 mg), Zinc (120 mg), Iodine (60 mg), Cobalt (20 mg), Selenium (20 mg), MOS, Bypass fats & Essential Herbs.

INDICATIONS

- > Loss in milk yield
- > Loss in fat percentage in milk
- > Decrease in growth rate
- > Metabolic disorders
- > Increase in rate of mortality in chickens
- > Decrease in lactation period

DOSAGE & ADMINISTRATION

Cattle & horses : 10-15 grams daily
Calves, sheep & goat : 5-7 grams daily
Poultry : 250 gm per ton of feed

PRESENTATION

500 grams

ANIMAL/POULTRY FEED SUPPLEMENT
NOT FOR HUMAN USE



Growmin Forte

Chelated powder with minerals and vitamins

mineral mixture powder

PRIMARY FUNCTION

Enhances milk yield
Increases chances of conception and fertility
Improves reproduction efficiency

COMPOSITION

Each kg powder contains:

Calcium 255g, Phosphorous 127.5g, Magnesium 6g, Iron 1.5g, Zinc 9.6g, Manganese 1.5g, Iodine 325mg, Copper 4.2g, Cobalt 150mg, Sulphur 7.2g, Potassium 100mg, Sodium 6mg, Selenium 10mg, Vitamin A 700000 IU, Vitamin D3 70000 IU, Vitamin E 250mg, Nicotinamide 1000mg, Chromium 78mg

INDICATIONS

- > Sudden loss in milk yield
- > Sudden weight loss
- > Infertility and low rate of conception
- > Low fat percentage in milk
- > Dullness in skin and health

DOSAGE & ADMINISTRATION

Cow/Buffalo : 50g per day
Goats/Sheeps : 25-30g per day
Horse : 50g per day

PRESENTATION

1kg, 2kg, 5kg, 10kg & 20kg



Available in Bag and Bucket Packing

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Heat Up

Tablets for inducing ovular estrus

Therapeutic tablets

PRIMARY FUNCTION

For inducing ovular estrus
For improving conception rate
For improving mating between opposites

COMPOSITION

Each uncoated tablet contains
Clomiphene citrate I.P. 300mg
Excipients QS

INDICATIONS

- > Low rate of conception
- > Difficulty during mating of opposites
- > Infertility
- > Low rate of reproduction

DOSAGE & ADMINISTRATION

1 tablet per day for 5 consecutive days

PRESENTATION

5 tablets

ONLY FOR VETERINARY USE
NOT FOR HUMAN USE



Livmin Vet

Liver tonic fortified with yeast and vitamins

liquid oral solution

PRIMARY FUNCTION

Hepatic Stimulant
Production Enhancer
Growth Promoter

COMPOSITION

Values per 10ml of solution :

Liver fraction 1.25mg (derived from 31.25g of fresh liver), Protein hydrolysate 50mg, Nicotinic Acid 24mg, Vitamin B12 7.5mcg, Inositol 20mg, D-Panthenol 2.5mg, Yeast Extract 0.4g, Excipients Q.S.

INDICATIONS

- > Prevents fatty liver syndrome and improves liver function
- > Improves metabolism for proper functioning of muscles
- > Improves growth rate and feed utilization
- > Improves appetite and reduces diet rejection

DOSAGE & ADMINISTRATION

Cattle/Horses : 50ml once daily
Goats/Sheeps : 10ml once daily
Dogs : 10ml twice daily
Chicks : 5-10ml daily per 100 chicks
Growers/Broilers : 20ml daily per 100 birds
Layers : 20ml daily for 10 days per 100 birds

PRESENTATION

500ml, 1000ml & 5000ml

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Livo Boost

Complete Liver Booster & Appetite Stimulant

liquid oral solution

PRIMARY FUNCTION

Hepatic Stimulant
Production Enhancer
Growth Promoter

COMPOSITION

Values per 5ml of solution :

Liver fraction 2.25mg (derived from fresh liver), Ferrous Gluconate 33.3mg, Ferrous Chloride 13.3mg, Thiamine 0.83mg, Riboflavine 0.83mg, Nicotinic Acid 3.3mg, Nicotinamide 7.5mg, Calcium Lactate 50mg, Excipients Q.S.

INDICATIONS

- > Prevents fatty liver syndrome and improves liver function
- > Improves metabolism for proper functioning of muscles
- > Improves growth rate and feed utilization
- > Improves appetite and reduces diet rejection

DOSAGE & ADMINISTRATION

Cattle/Horses : 50ml twice daily
Goats/Sheeps : 25-30ml twice daily
Dogs : 10ml twice daily
Chicks : 10ml twice daily per 100 chicks
Growers/Broilers : 20ml twice daily per 100 birds
Layers : 50ml twice daily per 100 birds

PRESENTATION

500ml & 1000ml

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Mastifix

Powder for treatment of Mastitis

Each 50g powder contains:

Serratiopeptidase 120mg, Vitamin E 1000 IU, Trisodium citrate 25g, Excipients QS



PRESENTATION

50g sachet

Mastifix

Powder for treatment of Mastitis

feed supplement powder

PRIMARY FUNCTION

Powerful anti-inflammatory
Advisable in udder pain
Reduce somatic cell count in milk

COMPOSITION

Each 50g powder contains:

Serratiopeptidase 120mg, Vitamin E 1000 IU, Trisodium citrate 25g,
Excipients QS

INDICATIONS

- > Prevents swelling and fluid retention in injury
- > Swelling of udder
- > Decrease in lactose and chloride values in milk
- > Udder pain
- > Increase in somatic cell count in milk

DOSAGE & ADMINISTRATION

Cow/Buffalo : 50g per day for 5 days
Goats/Sheeps : 50g per day for 5 days

PRESENTATION

50g sachet



ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Milk 'O' Boost

Chelated powder with minerals and vitamins

mineral mixture powder

PRIMARY FUNCTION

Enhances milk yield
Increases chances of conception and fertility
Improves reproduction efficiency

COMPOSITION

Each kg powder contains:

Calcium 255g, Phosphorous 127.5g, Magnesium 6g, Iron 1.5g, Zinc 9.6g, Manganese 1.5g, Iodine 325mg, Copper 4.2g, Cobalt 150mg, Sulphur 7.2g, Potassium 100mg, Sodium 6mg, Selenium 10mg, Vitamin A 700000 IU, Vitamin D3 70000 IU, Vitamin E 250mg, Nicotinamide 1000mg, Chromium 78mg

INDICATIONS

- > Sudden loss in milk yield
- > Sudden weight loss
- > Infertility and low rate of conception
- > Low fat percentage in milk
- > Dullness in skin and health

DOSAGE & ADMINISTRATION

Cow/Buffalo : 50g per day
Goats/Sheeps : 25-30g per day
Horse : 50g per day

PRESENTATION

1kg & 2kg

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Available in Jar and Bucket Packing



Petscab

Tick repellent shampoo

dog shampoo

PRIMARY FUNCTION

Healthy fur and skin
Removes ticks and fleas
Removes odour

COMPOSITION

Aloe vera, Neem Oil, Kapoor, Sitafal Oil, Clove Oil, Carica Papaya Extract, Nilgiri Oil, Karanj Oil, Lavender Oil, Lemon Grass Oil, Tea Tree Oil, Mangifera Indica Extract, Sodium Lauryl Ether Sulphate, Propyl Betaine, Diethanol Amide.

INDICATIONS

- > Tick infestation in dogs
- > Foul odour from fur
- > Dullness in fur
- > Hair fall in dogs

DOSAGE & ADMINISTRATION

Apply a liberal amount of shampoo and work into a lather. Gently massage from head to tail while avoiding eyes. Rinse completely and repeat as necessary.

PRESENTATION

200ml

PET CARE PRODUCT
NOT FOR HUMAN USE



Petscab

Tick repellent soap

medicated dog soap

PRIMARY FUNCTION

Healthy fur and skin
Removes ticks and fleas
Removes odour

COMPOSITION

Permethrin 1%, Lemon Grass Oil, Aloe Vera & Neem Extract.

INDICATIONS

- > Tick infestation in dogs
- > Foul odour from fur
- > Dullness in fur
- > Hair fall in dogs

DOSAGE & ADMINISTRATION

Rinse the dog thoroughly with warm water. Apply soap liberally to work up rich lather. Avoid contact with eyes and wounds (if any). Allow soap to remain on coat for 5-10 minutes, then rinse thoroughly with clean water.

Soap can be used for all dogs except nursing bitches and pups under the age of 3 months.

PRESENTATION

75 gram

PET CARE PRODUCT
NOT FOR HUMAN USE



Protifur

Egg protein & vitamins for pet

palatable powder

PRIMARY FUNCTION

Fur health and shine
Helps in overall growth of pet
Improves activity

COMPOSITION

Vitamin A (2000 IU), Vitamin H (320 mcg), Vitamin E (20 IU), Vitamin B12 (15 mcg), Vitamin D3 (250 IU), Vitamins B1, B2, B6 (Traces), Zinc (12 mg), Calcium (80 mg), Phosphorus (30 mg), Iron (25 mg), Selenium (20 mcg), Arginine (55 mg), Lysine (60 mg), Tryptophan (15 mg), Phenylalanine (50 mg), Methionine (30 mg), Threonine (50 mg), Leucine (80mg), Isoleucine (60 mg), Valine (70 mg), Milk Powder, Egg Powder, Wheat Flour, Di calcium Phosphate, Sodium Chloride, Glucose.

INDICATIONS

- > Hair fall and dullness in fur
- > Loss of protein
- > Decrease in growth rate
- > Laziness observed in pets
- > Loss of energy in pets
- > Deficiency of minerals

DOSAGE & ADMINISTRATION

Small breed : 5-10 grams per meal
Medium breed : 10-15 grams per meal
Large breed : 15-20 grams per meal

PRESENTATION

400 grams

PET CARE PRODUCT/SUPPLEMENT
NOT FOR HUMAN USE



Ruma Boost

Suitable for all types of Ruminants

rumen bypass fat

PRIMARY FUNCTION

Enhances milk yield
Increases fat percentage
Provides energy
Helps overcome stress

COMPOSITION

Rumen bypass fat: min 99%
Energy: 9300 Kcal/kg

INDICATIONS

- > Loss in milk yield
- > Ketosis
- > Heat stress
- > Low fat percentage in milk
- > Drop in feed intake

DOSAGE & ADMINISTRATION

100g daily or 1% to 1.5% of feed
Or, as directed by Veterinarian

PRESENTATION

1kg, 5kg & 25kg



ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE

Available in Bag and Bucket Packing



SPL Shakti Gold

Liquid calcium with vitamins and minerals

feed supplement liquid

PRIMARY FUNCTION

Improves general health of cattle
Increases appetite
Increases milk yield and fat percentage

COMPOSITION

Each bolus contains:

Dicalcium phosphate, Vitamin A, Vitamin H, Vitamin D3, L-Lysine
Added flavours, colors and preservatives

INDICATIONS

- > Decrease in motility of cattle
- > Decrease in milk yield and fat percentage
- > Decrease in rate of conception
- > Decrease in size of udder
- > Problems during milking

DOSAGE & ADMINISTRATION

Cattle : 100ml once daily with food
Goat/Sheep : 50ml once daily with food
Poultry (Chicks) : 20ml per 100 birds daily

PRESENTATION

1ltr, 2ltr, 5ltr, 10ltr & 50ltr

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Safe for daily use



Soda Boost

Effective phosphorus supplement

feed supplement powder

PRIMARY FUNCTION

For treatment of pica
Improves water consumption rate
Improves conception rate

COMPOSITION

Sodium Acid Phosphate 99% w/w
Excipients Q.S.

INDICATIONS

- > Phosphorus deficiency
- > Pica
- > Post parturient haemoglobinuria (Blood in urine)
- > Arching back
- > Reduced fertility
- > Reduced milk production

DOSAGE & ADMINISTRATION

Cow/Buffalo : 60-100g per day

60g Sodaboost provides 12g of phosphorus

PRESENTATION

500g Jar

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Udder Boost

Bolus for maintaining udder health

feed supplement bolus

PRIMARY FUNCTION

For development of udder
For sub-clinical mastitis
Increases milk yield

COMPOSITION

Each bolus contains:

Trisodium citrate dihydrate 1.5g, Vitamin A 4000 IU, Vitamin E 80 IU, Vitamin H 5mcg, Copper 100mg, Iron 400mg, Zinc 40mg, Magnesium 200mg, Chromium 2mg, Selenium 0.3mg, Methionine 0.8mg, Ext. Asundh 66mg, Ext. Dudhvidari 66mg, Ext. Sirkashiyo 33mg, Ext. Satavar 66mg, Excipients QS

INDICATIONS

- > Under development of udder
- > Decrease in milk yield
- > Sub-clinical mastitis
- > Infections in udder
- > Problems during milking


DOSAGE & ADMINISTRATION

2 Bolus twice a day OR as directed by veterinarian

PRESENTATION

4 bolus

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Utero Boost

Uterine tonic for post calving complications

liquid oral solution

PRIMARY FUNCTION

Enhances uterine contractions
Restores uterine lining
Prevents infection & inflammation

COMPOSITION

Combination of extracts of specific phyto-active herbs, vitamins, minerals, proteolytic enzymes possessing properties that ensures better post calving care of uterus.

INDICATIONS

- > Helps in contraction of uterine after calving
- > Helps restoring uterine lining after calving
- > Helps fight against inflammation of uterine
- > Reduces risk of infection after calving
- > Helps promoting retention of placenta after calving

DOSAGE & ADMINISTRATION

CLEANING OF UTERUS, JUST AFTER CALVING

Cattle/Buffalo : 100ml twice daily for 5 days

Goats/Sheeps : 50ml twice daily for 5 days

RETENTION OF PLACENTA

Cattle/Buffalo : 100ml after every 3-4 hours
until complete expulsion

Goats/Sheeps : 50ml after every 3-4 hours
until complete expulsion

PRESENTATION

500ml & 1000ml



ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Vita Boost

Energy Booster & Increases Glucose Level

liquid oral solution

PRIMARY FUNCTION

Prevents ketosis
Optimizes dry matter intake
Maintains glucose level

COMPOSITION

Gluconeogenic precursors fortified with B-Complex Vitamins, Propylene Glycol, Phytochemical additives & taste enhancers.

INDICATIONS

- > Helps in retarded growth during antibiotic treatment
- > Improve body defences during stress conditions
- > Improve feed conversion
- > In stress condition (caused by vaccination, diseases, transportation, high humidity, high temperatures)

DOSAGE & ADMINISTRATION

Cattle : 100-200ml once daily
Goats/Sheeps : 100ml once daily
Chicks : 250ml per 1000 litres of drinking water
Adult birds : 400ml per 1000 litres of drinking water

PRESENTATION

500ml & 1000ml

ANIMAL/POULTRY FEED SUPPLEMENT.
NOT FOR HUMAN USE



Also effective for



**SPL
VETCARE DIVISION**

splvetcaredivision.com

supplements | probiotics | allopathic

TAKING CARE OF ANIMALS
IS A FORM OF PRAYER TO GOD



**OPTIMIZING HEALTH
MAXIMIZING PRODUCTIVITY**